



ELSEVIER

Solid State Ionics 74 (1994) 291–295

**SOLID
STATE
IONICS**

Author index to volume 74

- Abe, T., see M. Mori 74 (1994) 157
Abeles, B., see H. Deng 74 (1994) 75
Ache, H.J., see E. Bychkov 74 (1994) 165
Agrawal, R.C., K. Kathal and R.K. Gupta, Estimation of energies of Ag^+ ion formation and migration using transient ionic current (TIC) technique 74 (1994) 137
Allançon, C., A. Gonthier-Vassal, J.M. Bassat, J.P. Loup and P. Odier, Influence of oxygen on structural transitions in $\text{Pr}_2\text{NiO}_{4+\delta}$ 74 (1994) 239
Antonucci, V., see G. Chiodelli 74 (1994) 37
Ashrit, P.V., see S. Badilescu 74 (1994) 189
Avignant, D., see V. Gaumet 74 (1994) 29
- Bader, G., see S. Badilescu 74 (1994) 189
Badilescu, S., Y. Djaoued, P.V. Ashrit, F.E. Girouard, G. Bader and V.-V. Truong, Metal insertion from solid substrates in sol-gel derived vanadium pentoxide thin films 74 (1994) 189
Baranov, A.I., see B.V. Merinov 74 (1994) 53
Barcza, L., see T. Braun 74 (1994) 47
Bassat, J.M., see C. Allançon 74 (1994) 239
Bensch, W., J. Koy, T. Braun and P. Hug, Chemical reactivity of $\text{K}_x\text{Ti}_6\text{Se}_8$ and the crystal structures of $(\text{H}_2\text{O})_{1.5}\text{Ti}_6\text{Se}_8$ and Ti_3Se_4 -channel compounds with the hexagonal Nb_3S_4 structure 74 (1994) 141
Bobe, J.M., see N.F. Uvarov 74 (1994) 195
Bokhonov, B.B., see N.F. Uvarov 74 (1994) 15
Bonsdorf, G., see O. Kalogirou 74 (1994) 205
Boukamp, B.A. and J.R. Macdonald, Alternatives to Kronig-Kramers transformation and testing, and estimation of distributions 74 (1994) 85
Braun, T., Á. Buvári-Barcza, L. Barcza, I. Konkoly-Thege, M. Fodor and B. Migali, Mechanochemistry: a novel approach to the synthesis of fullerene compounds. Water soluble buckminsterfullerene – γ -cyclodextrin inclusion complexes via a solid-solid reaction 74 (1994) 47
Braun, T., see W. Bensch 74 (1994) 141
Bredikhin, S., N. Kovaleva, T. Hattori and M. Ishigame, Photoinduced phenomena in RbAg_4I_5 superionic crystals 74 (1994) 149
Bruns, M., see E. Bychkov 74 (1994) 165
Buvári-Barcza, Á., see T. Braun 74 (1994) 47
Bychkov, E., M. Bruns, U. Geckle, W. Hoffmann, R. Schlesinger and H.J. Ache, Fe-doped sodium aluminosilicate thin films: conductivity, microstructural organization and sensor properties 74 (1994) 165
- Chávez, F., see I. Rommerskirchen 74 (1994) 179

- Chen, L., see R. Xue 74 (1994) 133
- Chiodelli, G., A. Magistris, G. Spinolo, C. Tomasi, V. Antonucci and N. Giordano, Electrical properties in the Bi-rich part of the Bi, Mo/O system 74 (1994) 37
- Clearfield, A., see D.M. Poojary 74 (1994) 279
- Dahn, J.R., see A.M. Wilson 74 (1994) 249
- Deng, H., M. Zhou and B. Abeles, Diffusion-reaction in mixed ionic-electronic solid oxide membranes with porous electrodes 74 (1994) 75
- Djaoued, Y., see S. Badilescu 74 (1994) 189
- Dupuis, J., see V. Gaumet 74 (1994) 29
- Eguchi, M., T. Yokoyama, T. Miura and T. Kishi, Lithiation characteristics of $\text{Cu}_{11}\text{V}_6\text{O}_{26}$ 74 (1994) 269
- Farrington, G.C., see J. Xu 74 (1994) 125
- Fodor, M., see T. Braun 74 (1994) 47
- Fritz, M., see H. Näge 74 (1994) 275
- Fuller, E.W., see A.M. Wilson 74 (1994) 249
- Gaumet, V., C. Latouche, D. Avignant and J. Dupuis, Enhancement of cationic conductivity in some heptafluorozirconates due to a paddle-wheel mechanism 74 (1994) 29
- Geckle, U., see E. Bychkov 74 (1994) 165
- Giordano, N., see G. Chiodelli 74 (1994) 37
- Girouard, F.E., see S. Badilescu 74 (1994) 189
- Gonthier-Vassal, A., see C. Allançon 74 (1994) 239
- Gunsser, W., see O. Kalogirou 74 (1994) 205
- Günter, J.R., see X.-L. Xu 74 (1994) 1
- Gupta, R.K., see R.C. Agrawal 74 (1994) 137
- Hairetdinov, E.F., see N.F. Uvarov 74 (1994) 15
- Hairetdinov, E.F., see N.F. Uvarov 74 (1994) 195
- Hattori, T., see S. Bredikhin 74 (1994) 149
- Herrero, P., see J.M. Réau 74 (1994) 65
- Hibino, T. and H. Iwahara, Amperometric sensor for measurement of D_2O concentration in mixture of H_2O and D_2O using high temperature protonic conductor 74 (1994) 285
- Hirashima, Y., see T. Moriga 74 (1994) 211
- Hoffmann, W., see E. Bychkov 74 (1994) 165
- Holzinger, M., see J. Maier 74 (1994) 5
- Honjo, H., see M. Tatsumisago 74 (1994) 105
- Huang, H., see R. Xue 74 (1994) 133
- Huang, X., see R. Xue 74 (1994) 133
- Hug, P., see W. Bensch 74 (1994) 141
- Ishigame, M., see S. Bredikhin 74 (1994) 149
- Ishii, T., see K. Takahashi 74 (1994) 11
- Isupov, V.P., see N.F. Uvarov 74 (1994) 15
- Itoh, H., see M. Mori 74 (1994) 157
- Iwahara, H., see T. Hibino 74 (1994) 285

- Jaegermann, W., see A. Schellenberger 74 (1994) 255
- Jaipal Reddy, M., see S. Sreepathi Rao 74 (1994) 225
- Janke, D., see I. Rommerskirchen 74 (1994) 179
- Kalogirou, O., G. Bonsdorf, G. Stoikos, W. Gunsser and H. Papadimitraki-Chlichlia, Thermal decomposition process of polycrystalline Cd-stabilized mono- and divalent-cation β'' - and β -ferrites 74 (1994) 205
- Kanamaru, F., see T. Moriga 74 (1994) 211
- Kathal, K., see R.C. Agrawal 74 (1994) 137
- Kawahara, T., see M. Mori 74 (1994) 157
- Kikkawa, S., see T. Moriga 74 (1994) 211
- Kishi, T., see M. Eguchi 74 (1994) 269
- Knight, K.S., Structural phase transitions in BaCeO_3 74 (1994) 109
- Kohno, T., see T. Moriga 74 (1994) 211
- Konkoly-Thege, I., see T. Braun 74 (1994) 47
- Kovaleva, N., see S. Bredikhin 74 (1994) 149
- Koy, J., see W. Bensch 74 (1994) 141
- Kuo, C.K. and P.S. Nicholson, Epitaxial overgrowth of $\alpha\text{-Al}_2\text{O}_3$ on Na- β'' - and $-\beta\text{-Al}_2\text{O}_3$ substrates 74 (1994) 61
- Latouche, C., see V. Gaumet 74 (1994) 29
- Lehmann, J., see A. Schellenberger 74 (1994) 255
- Ling, S., see V.K. Pareek 74 (1994) 263
- Lorenz, W.J., see H. Näfe 74 (1994) 275
- Loup, J.P., see C. Allançon 74 (1994) 239
- Macdonald, J.R., see B.A. Boukamp 74 (1994) 85
- Magistris, A., see G. Chiodelli 74 (1994) 37
- Maier, J., M. Holzinger and W. Sitte, Fast potentiometric CO_2 sensors with open reference electrodes 74 (1994) 5
- Maier, J., see T.E. Warner 74 (1994) 119
- Mannari, I., see K. Takahashi 74 (1994) 11
- Merinov, B.V., A.I. Baranov, L.A. Shuvalov, J. Schneider and H. Schulz, Structural study of $\text{Cs}_5\text{H}_3(\text{SO}_4)_4 \cdot x\text{H}_2\text{O}$ -alkali metal sulfate proton conductor 74 (1994) 53
- Migali, B., see T. Braun 74 (1994) 47
- Milius, W., see T.E. Warner 74 (1994) 119
- Minami, T., see M. Tatsumisago 74 (1994) 105
- Miura, T., see M. Eguchi 74 (1994) 269
- Mori, M., T. Abe, H. Itoh, O. Yamamoto, Y. Takeda and T. Kawahara, Cubic-stabilized zirconia and alumina composites as electrolytes in planar type solid oxide fuel cells 74 (1994) 157
- Moriga, T., O. Usaka, I. Nakabayashi, Y. Hirashima, T. Kohno, S. Kikkawa and F. Kanamaru, Reduction of the perovskite-type LnNiO_3 ($\text{Ln}=\text{Pr}, \text{Nd}$) to $\text{Ln}_3\text{Ni}_3\text{O}_7$ with monovalent nickel ions 74 (1994) 211
- Mumford, J.D., see V.K. Pareek 74 (1994) 263
- Näfe, H., M. Fritz and W.J. Lorenz, On the defect electron conduction parameter of Na-beta-alumina 74 (1994) 275

- Nakabayashi, I., see T. Moriga 74 (1994) 211
- Narasimha Reddy, K., see S. Sreepathi Rao 74 (1994) 225
- Nicholson, P.S., see C.K. Kuo 74 (1994) 61
- Odier, P., see C. Allançon 74 (1994) 239
- Papadimitraki-Chlichlia, H., see O. Kalogirou 74 (1994) 205
- Pareek, V.K., T.A. Ramanarayanan, S. Ling and J.D. Mumford, Electrical conductivity of high digenite (Cu_{2-x}S) at controlled sulfur activities 74 (1994) 263
- Pettenkofer, C., see A. Schellenberger 74 (1994) 255
- Poojary, D.M., A. Clearfield, S.E. Sigaryov and V.A. Timofeeva, Crystal structure of $\text{Ca}_{0.1667}\text{Na}_{3.6667}\text{FeP}_2\text{O}_8\text{F}$ 74 (1994) 279
- Porat, O. and I. Riess, Defect chemistry of Cu_{2-y}O at elevated temperatures. Part I: Non-stoichiometry, phase width and dominant point defects 74 (1994) 229
- Poulain, M., see N.F. Uvarov 74 (1994) 195
- Ramanarayanan, T.A., see V.K. Pareek 74 (1994) 263
- Réau, J.M., S. Rossignol, B. Tanguy, J.M. Rojo, P. Herrero, R.M. Rojas and J. Sanz, Conductivity relaxation parameters of some Ag^+ conducting tellurite glasses containing AgI or the $(\text{AgI})_{0.75}(\text{TlI})_{0.25}$ eutectic mixture 74 (1994) 65
- Réau, J.M., see N.F. Uvarov 74 (1994) 195
- Reimers, J.N., see A.M. Wilson 74 (1994) 249
- Riess, I., see O. Porat 74 (1994) 229
- Rojas, R.M., see J.M. Réau 74 (1994) 65
- Rojo, J.M., see J.M. Réau 74 (1994) 65
- Rommerskirchen, I., F. Chávez and D. Janke, Ionic conduction behaviour of mullite ($3\text{Al}_2\text{O}_3 \cdot 2\text{SiO}_2$) at 1400 to 1600°C 74 (1994) 179
- Rossignol, S., see J.M. Réau 74 (1994) 65
- Sakai, Y., see M. Tatsumisago 74 (1994) 105
- Sanz, J., see J.M. Réau 74 (1994) 65
- Schellenberger, A., J. Lehmann, C. Pettenkofer and W. Jaegermann, Electronic structure of in-situ (in UHV) prepared Li/InSe insertion compounds 74 (1994) 255
- Schlesinger, R., see E. Bychkov 74 (1994) 165
- Schneider, J., see B.V. Merinov 74 (1994) 53
- Schulz, H., see B.V. Merinov 74 (1994) 53
- Sénégas, J., see N.F. Uvarov 74 (1994) 195
- Shuvalov, L.A., see B.V. Merinov 74 (1994) 53
- Sigaryov, S.E., see D.M. Poojary 74 (1994) 279
- Sitte, W., see J. Maier 74 (1994) 5
- Spinolo, G., see G. Chiodelli 74 (1994) 37
- Sreepathi Rao, S., M. Jaipal Reddy, K. Narasimha Reddy and U.V. Subba Rao, A new Na^+ ion conducting polymer electrolyte based on $(\text{PEO} + \text{NaYF}_4)$ and its use as an electrochemical cell 74 (1994) 225
- Stoikos, G., see O. Kalogirou 74 (1994) 205
- Subba Rao, U.V., see S. Sreepathi Rao 74 (1994) 225

- Takahashi, K., I. Mannari and T. Ishii, Three peaks on the specific heat in a FK-system: A computer simulation 74 (1994) 11
- Takeda, Y., see M. Mori 74 (1994) 157
- Talaie, A., New multidimensional electrochemical set up for characterisation of dynamic solid state polymeric materials 74 (1994) 219
- Tanguy, B., see J.M. Réau 74 (1994) 65
- Tatsumisago, M., H. Honjo, Y. Sakai and T. Minami, Proton-conducting silica-gel films doped with a variety of electrolytes 74 (1994) 105
- Timofeeva, V.A., see D.M. Poojary 74 (1994) 279
- Tomasi, C., see G. Chiodelli 74 (1994) 37
- Truong, V.-V., see S. Badilescu 74 (1994) 189
- Usaka, O., see T. Moriga 74 (1994) 211
- Uvarov, N.F., B.B. Bokhonov, V.P. Isupov and E.F. Hairetdinov, Nanocomposite ionic conductors in the $\text{Li}_2\text{SO}_4\text{-Al}_2\text{O}_3$ system 74 (1994) 15
- Uvarov, N.F., E.F. Hairetdinov, J.M. Réau, J.M. Bobe, J. Sénagés and M. Poulain, Determination of the influence of the NaF rate on the charge carriers parameters in some fluoride glasses containing the NaF alkali fluoride 74 (1994) 195
- Warner, T.E., W. Milius and J. Maier, New copper phosphates with the NASICON or al-luaudite-type structures as ionic or mixed conductors 74 (1994) 119
- Wilson, A.M., J.N. Reimers, E.W. Fuller and J.R. Dahn, Lithium insertion in pyrolyzed siloxane polymers 74 (1994) 249
- Xu, J. and G.C. Farrington, Microelectrode studies of the Li/Li^+ couple in low molecular weight liquid polyether electrolytes 74 (1994) 125
- Xu, X.-L. and J.R. Günter, Cubic and hexagonal tin tungsten bronzes synthesized from peroxo-polytungstic acid 74 (1994) 1
- Xue, R., H. Huang, X. Huang and L. Chen, Storage study of lithium battery with PEO-PC- LiClO_4 electrolyte 74 (1994) 133
- Yamamoto, O., see M. Mori 74 (1994) 157
- Yokoyama, T., see M. Eguchi 74 (1994) 269
- Zhou, M., see H. Deng 74 (1994) 75





ELSEVIER

Solid State Ionics 74 (1994) 297–298

**SOLID
STATE
IONICS**

Subject Index to Volume 74

- Alluaudite, 119
Almond–West formalism, 195
Anode, 249
- β'' -alumina, 205
 β'' -ferrite, 205
 β -alumina–sodium, 275
Bronzes, 189
- Calcium zirconium oxide, 285
Capacity, 133
Conduction mechanism, 263
Conductivity, 165
Copper phosphates, 119
Cubic zirconia, 157
Cuprous oxide, 229
Cyclic resistometry, 219
- Deuterium sensor, 285
Digenite, 263
- Electrical conductivity, 119, 263
Electrical properties, 239
Electrochemical cell, 225
Electronic conductivity, 179
Energy of formation, 137
Energy of migration, 137
ESR spectra, 269
- Fluorophosphate, 279
Free energy, 255
- Glass, 195
- Hebb–Wagner technique, 275
Hole conductivity, 275
Holes, 263
- Impedance, 133
Indium selenide, 255
In-situ, “real time”, 219
Intercalation, 189, 249, 255
Ionic conductivity, 179
Ionic conductivity – fluorine, 195
Ionic conductivity – proton, 105, 285
Ionic conductivity – silver, 137
Ionic conductivity – sodium, 225, 279
Ionic mobility, 137
Iron phosphate, 279
IR spectra, 269
Isotope effects, 285
- Keggin ion, 105
Kinetics, 125
- Lithium battery, 133, 249
Lithium insertion, 269
Lithium reactivity, 125
Luminescence, 149
- Magnetic susceptibility, 119, 211
Microstructure, 165
Mixed valency, 119
Mullite ($3\text{Al}_2\text{O}_3 \cdot 2\text{SiO}_2$), 179
Multidimensional electrochemical set up, 219
- NASICON, 119
Neodymium nickel oxide, 211
Neutron diffraction, 109
Nickel microelectrode, 125
Nickel oxide, 211
Nonstoichiometry, 229, 239
- Open-circuit potential, 269
Oxide ion conductor, 157
Oxygen excess, 239
- PEGM, 125
PEO–PC–LiClO₄ electrolyte, 133
Perovskite, 211
Phase transition, 109
Phase width, 229
Point defects, 229, 263
Polymer, 219
Polymer electrolyte, 225
- Quartz crystal microbalance, 219

- Raman scattering, 149
- Reactivity, 141
- Redox reaction, 141
- Rubidium silver iodide, 149

- Sensor, 165, 285
- Silica-gel, 105
- Siloxane, 249
- Sodium fluoride, 195
- Sol-gel, 189
- Solid electrolyte, 179
- Solid oxide fuel cell (SOFC), 157
- Storage, 133
- Structural transitions, 239
- Sulfur activity, 263
- SXPS, 255

- Ternary titanium compounds, 141
- Thermal analysis, 205
- Thermal decomposition, 205
- Thin films, 165
- Transient ionic current technique, 137
- Tungstophosphoric acid, 105

- Vanadium pentoxide, 189
- Van der Pauw method, 263

- X-ray structure, 279